



Section 1 - Chemical Product and Company Identification

Product Name Lead (II) Nitrate ACS, 99%
Product Code 68030
CAS No 10099-74-8
Use for Laboratory Chemicals.
Company Name Sisco Research Laboratories Pvt. Ltd.
Address 608, B Wing, Satellite Gazebo, Andheri Ghatkopar Link Road,
Andheri (E), Mumbai - 400 099, India

Section 2 - Composition/Information on Ingredients

CAS#	Chemical Name:	%	EINECS#
10099-74-8	Lead Nitrate extrapure	99	233-245-9

Section 3 - Hazards Identification

Harmful by inhalation and if swallowed. Danger of cumulative effects. Contact with combustible material may cause fire. May cause harm to the unborn child. Possible risk of impaired fertility. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Potential Health Effects

Eye: Contact with eyes may cause severe irritation, and possible eye burns.

Skin: Causes redness and pain.

Ingestion: Harmful if swallowed. May cause severe digestive tract irritation with abdominal pain, nausea, vomiting and diarrhea.

Inhalation: Harmful if inhaled. May cause irritation of the respiratory tract with burning pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema.

Chronic: Prolonged or repeated exposure may cause adverse reproductive effects. May cause liver and kidney damage. Prolonged exposure may cause anemia and methemoglobinemia, characterized by dizziness, drowsiness, headache, breath shortness, cyanosis (bluish skin due to deficient oxygenation of the blood), rapid heart rate and chocolate-brown colored blood.

Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin: Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Get medical aid immediately. Wash mouth out with water.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Notes to Physician:

Section 5 - Fire Fighting Measures



Product Code 68030

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Strong oxidizer. Contact with other material may cause fire. Substance is noncombustible.

Extinguishing Media: Use water only!

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.

Section 7 - Handling and Storage

Handling: Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Use only in a chemical fume hood.

Storage: Do not store near combustible materials. Store in a cool, dry place. Store in a tightly closed container.

Section 8 - Exposure Control / Personal Protection



Product Code 68030

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

Exposure Limits CAS# 10099-74-8:

United Kingdom, WEL - TWA: (lead compounds): 0.15 mg/m³ TWA (as Pb)

United Kingdom, WEL - STEL: (lead compounds): 0.45 mg/m³ TWA (as Pb)

United States OSHA: 50 æg/m³ TWA (as Pb); 30 æg/m³ Action Level (as Pb. Poison - see 29 CFR 1910.10 25) (Lead, inorganic compounds).

Belgium - TWA: (lead, inorganic compounds): 0.15 mg/m³ VLE (dust and fume)

France - VME: (lead compounds): 0.1 mg/m³ VME (as Pb)

Germany: (lead compounds): 0.1 mg/m³ VME (as Pb)

Japan: (lead compounds): 0.1 mg/m³ OEL (except alkyl lead compounds, as Pb)

Malaysia: (lead, inorganic compounds): 0.05 mg/m³ TWA (as Pb)

Netherlands: (lead, inorganic compounds): 0.15 mg/m³ MAC (dust and smoke, as Pb)

Russia: (lead, inorganic compounds): 0.05 mg/m³ TWA (aerosol, as Pb)

Spain: (lead, inorganic compounds): 0.15 mg/m³ VLA-ED (as Pb)

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to minimize contact with skin.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Crystalline powder

Color: white

Molecular Formula: N₂O₆Pb

Molecular Weight: 331.21

Section 10 - Stability and Reactivity



www.srlchem.com

Product Code 68030

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, combustible materials, temperatures above 250°C.

Incompatibilities with

Other Materials : Strong reducing agents, finely powdered metals, cyanides (e.g. potassium cyanide, sodium cyanide), esters (e.g. butyl acetate, ethyl acetate, propyl formate), hypophosphites.

Hazardous Decomposition

Products : Nitrogen oxides, lead/lead oxides.

Hazardous Polymerization : Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 10099-74-8: OG2100000

LD50/LC50: RTECS: Not available.

Carcinogenicity: Lead(II)nitrate - California: carcinogen, initial date 10/1/92 (Lead compounds). NTP: Suspect carcinogen (Lead compounds). IARC: Group 2B carcinogen

Other: See actual entry in RTECS for complete information. The toxicological properties have not been fully investigated. May cause adverse reproductive effects.

Section 12 - Ecological Information

Ecotoxicity: Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

	IATA	IMO	RID/ADR	
Shipping Name:	Lead Nitrate			
Hazard Class:	5.1(6.1)		5.1(6.1)	5.1(6.1)
UN Number:	1469	1469	1469	
Packing Group:	II	II	II	

Section 15 - Regulatory Information



Product Code 68030

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: T O N

Risk Phrases: R 61 May cause harm to the unborn child. R 20/22 Harmful by inhalation and if swallowed. R 33 Danger of cumulative effects. R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 62 Possible risk of impaired fertility. R 8 Contact with combustible material may cause fire.

Safety Phrases: S 53 Avoid exposure - obtain special instructions before use. S 17 Keep away from combustible material. S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S 60 This material and its container must be disposed of as hazardous waste.

WGK (Water Danger/Protection) CAS# 10099-74-8: 2

Canada CAS# 10099-74-8 is listed on Canada's DSL List

US Federal

TSCA CAS# 10099-74-8 is listed on the TSCA Inventory.

Section 16 - Other Information

Sisco Research Laboratories Pvt. Ltd. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.